

BROCHURE

A modern and stylish roof covering for your outdoor living space.

Contact us for more: +264 61 302 030 info@colorblinds.com.na www.colorblinds.com.na

Aluminium Awning



ADJUSTABLE ALUMINIUM AWNING

Manage the harsh Namibian sun with an Adjustable Aluminium Awning. Adjustable Aluminium Awnings has louvres that can open and close.

Aluminium Awning Collection

Elevate your patio experience with our versatile Aluminium Awnings collection. Choose the affordable and aesthetically pleasing Fixed Awning, ensuring a water-tight* haven with the sleek fascia gutter during the rainv season and cool shade from our 195F ceiling panels in the summer. Or opt for the 137Z Adjustable Aluminium Louvre Awning which effortlessly combine style and functionality, offering the best of both worlds - shade when you want it and sunshine when you need it.



FIXED 195F CEILING ALUMINIUM AWNING

Our watertight fixed awnings bring elegance to your space with the beautiful marble white 195F ceiling panels.



FIXED IBR WHITE BOTTOM ALUMINIUM AWNING

Our white bottom widespan IBR fixed awnings bring an alternate dimension of the traditional "Afdak".





PRODUCT ADVANTAGES

- Maximum length of 6m to meet the building requirements on site.
- Low maintenance.
- The Adjustable aluminium awning panels can open 87° to allow maximum sunlight through.
- A full aluminium water-resistant design that is easy to install.
- Environmental friendly. (Green metal)

DURABILITY

Corrosion resistant. Can stand unprotected. Age resistant & nonsensitive to ultra-violet rays. Weathers well in life cycle of the building. Offers long life expectancy due to resistance to atmospheric behaviours.

FINISH

Our Awnings are coated with the ColorTech G4, an advanced fourth generation polymer coating. The coating is long lasting, easy to clean and guaranteed against chalking, fading and blistering.




Aluminium Awning









Our Louvres are suitable for any Commercial and Hospitality Projects

Add another dimension with our Outdoor Roller Blinds



